I Mumbox	Hits	Search Text	DB	Time stamp
L Number	306	709/208.ccls. and @ad<20000317	USPAT;	2004/07/06 08:57
-	306	709/208.CCIS. and wad<20000317	US-PGPUB	2004/07/06 08:57
	-	(500/0001 0 00000015) 1		2004/07/06 08:57
-	1	(709/208.ccls. and @ad<20000317) and	USPAT;	2004/07/06 08:57
		(molec\$5 NEAR5 model)	US-PGPUB	2004/07/06 00 50
-	0	(709/208.ccls. and @ad<20000317) and	USPAT;	2004/07/06 08:58
		(cluster adj2 config)	US-PGPUB	0001/05/05 00 50
-	18	(709/208.ccls. and @ad<20000317) and (master	USPAT;	2004/07/06 08:58
		NEAR4 config\$5 NEAR3 slave)	US-PGPUB	
-	478	709/213.ccls. and @ad<20000317	USPAT;	2004/07/06 08:57
			US-PGPUB	
-	0	(709/213.ccls. and @ad<20000317) and	USPAT;	2004/07/06 08:58
		(molec\$5 NEAR5 model)	US-PGPUB	
-	0	(709/213.ccls. and @ad<20000317) and	USPAT;	2004/07/06 08:58
		(cluster adj2 config)	US-PGPUB]
-	0	(709/213.ccls. and @ad<20000317) and (master	USPAT;	2004/07/06 08:58
		NEAR4 config\$5 NEAR3 slave)	US-PGPUB	
-	8	(709/213.ccls. and @ad<20000317) and	USPAT;	2004/07/06 09:03
		(parallel\$4 NEAR4 task)	US-PGPUB	
-	37	(master NEAR3 slave) SAME (computation\$3	USPAT;	2004/07/06 09:32
		NEAR4 process\$3) and @ad<20000317	US-PGPUB	
-	0	(master NEAR3 slave) SAME (molecul\$5 NEAR3	USPAT;	2004/07/06 09:19
		(model or comput\$7 or process\$3 or task))	US-PGPUB;	
		and @ad<20000317	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	26680	(molecul\$5 NEAR3 (model or comput\$7 or	USPAT;	2004/07/06 09:19
		process\$3 or task)) and @ad<20000317	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		Y .	IBM TDB	
_	10	(parallel NEAR2 (process\$3 or task)) SAME	USPAT;	2004/07/06 09:20
		(molecul\$5 NEAR3 (model or comput\$7)) and	US-PGPUB;	
		@ad<20000317	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	4	(master NEAR3 slave) SAME (identical NEAR6	USPAT;	2004/07/06 09:35
	•	task) and @ad<20000317	US-PGPUB;	
}		casily and saarbooss.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	12	(master NEAR3 slave) AND (cluster NEAR2	USPAT;	2004/07/06 09:40
	12	config\$5) and @ad<20000317	US-PGPUB;	2001, 0., 00 03110
		configo, and saddenouse,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	62	707/10.ccls. and (master NEAR3 slave)	USPAT;	2004/07/06 09:41
-	62	/ // IV.CCIB. and (master MEARS Stave)	US-PGPUB;	2001,07,00 05.41
			EPO; JPO;]
			DERWENT;	
			IBM TDB	
	1720	configu\$6 NEAR8 (master NEAR2 slave)	USPAT;	2004/07/06 13:19
_	1730	CONTINUES NEARO (MASCEL NEARZ STAVE)	US-PGPUB	2004/07/00 13:19
1	975	configu\$6 NEAR8 (master NEAR2 slave) and	USPAT;	2004/07/06 13:38
_	9/5		US-PGPUB	2004/07/00 13.30
	253	@ad<20000317	USPAT;	2004/07/06 13:23
-	253	(configu\$6 NEAR8 (master NEAR2 slave) and		2004/07/06 13:23
	.	@ad<20000317) and (comput\$8 NEAR3 process\$3)	US-PGPUB USPAT;	2004/07/06 13:22
_	1	((configu\$6 NEAR8 (master NEAR2 slave) and	· ·	2004/07/06 13:22
	1	@ad<20000317) and (comput\$8 NEAR3	US-PGPUB	
		process\$3)) and (electronic NEAR3 signature)	HEDAT.	2004/07/06 13:22
_	22		USPAT;	2004/07/06 13:22
		@ad<20000317) and (comput\$8 NEAR3	US-PGPUB	
	_	process\$3)) and signature	HCDATE	2004/07/06 12 22
_	3		USPAT;	2004/07/06 13:23
		@ad<20000317) and (computational NEAR3	US-PGPUB	
		process\$3)	Henry.	2004/07/06 12 24
-	39	` · · · J ·	USPAT;	2004/07/06 13:24
	<u> </u>	@ad<20000317) and signature	US-PGPUB	L



-	1035	configu\$6 NEAR3 (master and slave) and @ad<20000317	USPAT; US-PGPUB; EPO; JPO;	2004/07/06 13:29
	'		DERWENT;	
-	848	configu\$6 NEAR3 (master NEAR2 slave) and @ad<20000317	IBM_TDB USPAT; US-PGPUB;	2004/07/06 13:31
			EPO; JPO; DERWENT; IBM TDB	
-	39	(configu\$6 NEAR3 (master NEAR2 slave) and @ad<20000317) and ((computational or processing) NEAR3 task)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/06 13:32
Ì			IBM_TDB	
-	17	configu\$6 NEAR8 (master NEAR2 slave) SAME ((parallel or multiple or simultaneous\$3) NEAR3 (process\$3 or task or computation\$3))	USPAT; US-PGPUB; EPO; JPO;	2004/07/06 13:40
		and @ad<20000317	DERWENT; IBM TDB	
_	0	(master NEAR3 slave) SAME (computation\$3 NEAR3 application) and @ad<20000317	USPAT; US-PGPUB; EPO; JPO;	2004/07/06 14:03
			DERWENT;	
-	1	(master NEAR3 slave) SAME (computation\$3 NEAR7 application) and @ad<20000317	IBM_TDB USPAT; US-PGPUB;	2004/07/06 14:03
		approximation of the second	EPO; JPO; DERWENT;	
_	0	709/208.ccls. and (computation\$3 NEAR7	IBM_TDB USPAT;	2004/07/06 14:04
		application) and @ad<20000317	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	97	(master NEAR3 slave) AND (computation\$3 NEAR7 application) and @ad<20000317	USPAT; US-PGPUB;	2004/07/06 14:04
			EPO; JPO; DERWENT; IBM TDB	
-	44	@ad<20000317	USPAT; US-PGPUB	2004/07/06 14:10
-	306	709/208.ccls. and @ad<20000317	USPAT; US-PGPUB	2004/07/06 14:13
-	15	(709/208.ccls. and @ad<20000317) and 707/10.ccls.	USPAT; US-PGPUB	2004/07/06 14:18
-	8	l	USPAT; US-PGPUB	2004/07/06 14:18
-	9	master NEAR5 manag\$4 NEAR4 (task or process or computation\$2) NEAR4 slave and	USPAT; US-PGPUB;	2004/07/07 09:06
		@ad<20000317	EPO; JPO; DERWENT; IBM TDB	
-	144	NEAR3 (task or process\$3 or computation\$2))	USPAT; US-PGPUB;	2004/07/07 09:33
	•	NEAR4 slave and @ad<20000317	EPO; JPO; DERWENT; IBM TDB	
-	7	"pc") NEAR4 ((process or processing or	USPAT; US-PGPUB;	2004/07/07 09:37
		computation\$2) NEAR3 (data or information)) AND @ad<20000317	EPO; JPO; DERWENT;	
-	238	processing or computation\$2) NEAR3 (data or	IBM_TDB USPAT; US-PGPUB;	2004/07/07 10:01
		information)) AND @ad<20000317	EPO; JPO; DERWENT;	
			IBM_TDB	l

-	2503	707/10.ccls. AND @ad<20000317	USPAT;	2004/07/07 10:02
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1160	(707/10.ccls. AND @ad<20000317) and ((client	USPAT;	2004/07/07 10:03
		NEAR2 server) or (master NEAR2 slave))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	67	((707/10.ccls. AND @ad<20000317) and	IBM_TDB USPAT;	2004/07/07 11:10
		((client NEAR2 server) or (master NEAR2	US-PGPUB;	2001/07/07 11.10
		slave))) and (parallel NEAR3 processing)	EPO; JPO;	
			DERWENT;	
		(505/50] 377 0 1 00000045)	IBM_TDB	0004/05/05 44 40
_	164	(707/10.ccls. AND @ad<20000317) and (parallel NEAR3 processing)	USPAT; US-PGPUB;	2004/07/07 11:10
		(pararrer NEARS processing)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	97	((707/10.ccls. AND @ad<20000317) and	USPAT;	2004/07/07 11:54
		(parallel NEAR3 processing)) not	US-PGPUB	
		(((707/10.ccls. AND @ad<20000317) and ((client NEAR2 server) or (master NEAR2		
		slave))) and (parallel NEAR3 processing))		
_	133		USPAT;	2004/07/07 11:55
		NEAR4 database)	US-PGPUB	, , ,
_	113	((707/10.ccls. AND @ad<20000317) and (shared	USPAT;	2004/07/07 11:55
		NEAR4 database)) not ((707/10.ccls. AND	US-PGPUB	
		@ad<20000317) and (parallel NEAR3		
_	113	processing)) (((707/10.ccls. AND @ad<20000317) and	USPAT;	2004/07/07 11:55
	113	(shared NEAR4 database)) not ((707/10.ccls.	US-PGPUB	2004/07/07 11.33
		AND @ad<20000317) and (parallel NEAR3		
		processing))) not (((707/10.ccls. AND		
		@ad<20000317) and ((client NEAR2 server) or		
		(master NEAR2 slave))) and (parallel NEAR3 processing))		
_	113	(((707/10.ccls. AND @ad<20000317) and	USPAT;	2004/07/07 13:54
	113	(shared NEAR4 database)) not ((707/10.ccls.	US-PGPUB	2001,07,07 13.31
•		AND @ad<20000317) and (parallel NEAR3		
		processing))) not (((707/10.ccls. AND		
		@ad<20000317) and (parallel NEAR3		
		processing)) not ((707/10.ccls. AND @ad<20000317) and ((client NEAR2 server) or		
		(master NEAR2 slave))) and (parallel NEAR3		
		processing)))		
-	7	((((707/10.ccls. AND @ad<20000317) and	USPAT;	2004/07/07 11:57
		(shared NEAR4 database)) not ((707/10.ccls.	US-PGPUB	
		AND @ad<20000317) and (parallel NEAR3 processing))) not (((707/10.ccls. AND		
		processing))) not (((707)10.ects. AND @ad<20000317) and (parallel NEAR3	1	
		processing)) not (((707/10.ccls. AND		
		@ad<20000317) and ((client NEAR2 server) or		
		(master NEAR2 slave))) and (parallel NEAR3		
	1.0	processing)))) and (master NEAR5 slave)	HODATT -	2004/07/07 14 00
-	16	algorithm SAME (configur\$3 NEAR4 (master or slave)) and @ad<20000317	USPAT; US-PGPUB;	2004/07/07 14:00
		D14VC)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	56	(master NEAR6 slave) SAME signature and	USPAT;	2004/07/07 14:02
İ		@ad<20000317	US-PGPUB; EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	0	computation\$2 NEAR2 application and	USPAT;	2004/07/08 08:33
		709/208.ccls. and @ad<20000317	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
L	L	L	1700 170	L

-	40	computation\$2 NEAR2 application and	USPAT;	2004/07/08 08:33
		709/\$.ccls. and @ad<20000317	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	76	reconfigu\$3 NEAR4 master and @ad<20000317	USPAT;	2004/07/08 09:33
			US-PGPUB	
-	642	1	USPAT;	2004/07/08 09:45
		NEAR3 (node or computer or "pc" or device))	US-PGPUB;	
		and @ad<20000317	EPO; JPO;	
			DERWENT;	ļ
	ł		IBM_TDB	
-	68	((choos\$3 or selec\$3 or pick\$3) NEAR4	USPAT;	2004/07/08 09:45
		(master NEAR3 (node or computer or "pc" or	US-PGPUB;	
		device)) and @ad<20000317) and 709/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	